

Ref. 2

PATENT ABSTRACTS OF JAPAN

(11) Publication number: 01232838 A

(43) Date of publication of application: 18.09.89

(51) Int. CI H04B 7/26		
(21) Application number: 63059724 (22) Date of filing: 14.03.88	(71) Applicant:	MATSUSHITA ELECTRIC IND CO
	(72) Inventor:	SASAKI MICHIO TEJIMA KATSUMI MACHIDA HITOSHI

(54) MULTI-FREQUENCY RADIO COMMUNICATION METHOD


(57) Abstract:

PURPOSE: To send a data by applying time division to a communication channel in response to the transmission data length of a mobile station to use the communication channel efficiently.

CONSTITUTION: A control station applies polling to mobile stations 1-3, and the mobile stations 1-3 applies call request including a transmission data length, respectively. The control station compares the remaining time of the communication time of the communication channel with the transmission time of the mobile stations 1-3 corresponding to the transmission data length to decide the transmission priority and issues a notice to permit the call request to the mobile station 1 having the longest transmission data length. Receiving the data from the mobile station 1 with the highest priority, the control station gives the transmission priority to a mobile station whose transmission time corresponding to the transmission data length is shorter than the remaining time through the result of comparison of the transmission time of the mobile station 1-3 corresponding to the transmission data length with the

remaining time of the communication time of the communication channel.


COPYRIGHT: (C)1989,JPO&Japio




BEST AVAILABLE COPY

斯 1 図

3/3 msec tomse	Bbyte	75±%¢	8byte	8b/ce x/9
ピート同期フレーム(カ)なカレー 国期	1-19	アーム	175	データ部
Bitsync. Fram (Preamble) Sync	e Header		_	Data portion



第 3 図



データ末は移動局1>粉動局2>移動局3a場合

郭 3 🖺

